



CERTIFICATE OF ANALYSIS

SILLIKER, Inc.
Illinois Laboratory

3600 Eagle Nest Drive, North Building, Crete, IL 60417
Tel. 877-777-6375 Fax. 312-729-1320

COA No:	CHG-41809603-0
Supersedes:	None
COA Date	11/21/18
Page 1 of 1	

TO:



Lifeway Foods, Inc.
6431 W Oakton
Morton Grove, IL 60053

Received From:	Morton Grove, IL
Received Date:	11/16/18
P.O.# / ID:	verbal
Location of Test: (except where noted) Crete, IL	

Analytical Results

Desc. 1:	Lifeway LF Kefir Plain 32oz	Laboratory ID:	382826288			
Desc. 2:	01/18/19	Condition Rec'd:	NORMAL			
Desc. 3:	27s-20-55-184	Temp Rec'd (°C):	15			
<u>Analyte</u>		<u>Result</u>	<u>Units</u>	<u>Method Reference</u>	<u>Test Date</u>	<u>Loc.</u>
Lactose by HPLC		<0.25	% (w/w)	AOAC 980.13	11/20/18	


Jeff Wilson  Division Vice President

Results reported herein are provided "as is" and are based solely upon samples as provided by client. This report may not be distributed or reproduced except in full. Client shall not at any time misrepresent the content of this report. Mérieux NutriSciences assumes no responsibility, and client hereby waives all claims against Mérieux NutriSciences, for interpretation of such results.
Except as otherwise stated, Mérieux NutriSciences Terms and Conditions for Testing Services apply.